ELSEVIER

Neuroscience Letters 300 (2001) 189–191

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 300

Abe, K., see Warita, H., 75
Aceves, J., see Querejeta, E., 79
Adhami, V.M., see Aziz, M.H., 161
Agrawal, A.K., see Aziz, M.H., 161
Akaike, A., see Katsuki, H., 166
Akaike, T., see Suzuki, S., 29
Alonso-Bedate, M., see Delgado, M.J., 129
Alonso-Gómez, A.L., see Delgado, M.J., 129
Andreasen, N., see Davidsson, P., 157
Arai, Y., see Kanamaru, H., 9
Aziz, M.H., Agrawal, A.K., Adhami, V.M., Shukla, Y., Seth, P.K., Neurodevelopmental consequences of gestational exposure (GD14–GD20) to low dose deltamethrin in rats, 161

Baird, A., see Laffling, A.J., 99
Birkett, C.R., see Laffling, A.J., 99
Blennow, K., see Davidsson, P., 157
Boissonade, F.M., see Loescher, A.R., 71
Bradley, W.G., see Xu, G.-P., 141
Busto, R., see Xu, G.-P., 141

Cairns, N., see Kim, S.H., 41
Cavalla, P., see Schiffer, D., 37
Céspedes, M.V., see Delgado, M.J., 129
Chen, Z.-y., see Li, J.-h., 54
Cheng, J.-T., see Lo, S.-H., 185
Chiadò-Piat, L., see Schiffer, D., 37
Chung, S., Lee, J., Joe, E.-H., Uhm, D.-Y., β-amyloid peptide induces the expression of voltage dependent outward rectifying K^+ channels in rat microglia, 67
Corsani, L., see Vannucchi, M.-G., 120

Dave, K.R., see Xu, G.-P., 141
Davidsson, P., Blennow, K., Andreasen, N., Eriksson, B., Minthon, L., Hesse, C., Differential increase in cerebrospinal fluid-acetylcholinesterase after treatment with acetylcholinesterase inhibitors in patients with Alzheimer's disease, 157
De Pedro, N., see Delgado, M.J., 129
Delgado, A., see Querejeta, E., 79
Delgado, M.J., Céspedes, M.V., De Pedro, N., Alonso-Bedate, M., Alonso-Gómez, A.L., Day/night variations of dopamine ocular content during *Xenopus laevis* ontogeny, 129
Dempsey, R.J., see Nagesh Babu, G., 17
Diéguez, C., see López, M., 171
Drago, F., Frisina, M., Grech, M., Nicolosi, A., Micale, V., Nicosia, A., Medico, M., Foti, F., Dual effects of melatonin on barbiturate-induced narcosis in rats, 176

Eriksson, B., see Davidsson, P., 157
Eriksson, K.S., see Sergeeva, O.A., 5
Erlij, D., see Querejeta, E., 79
Erxleben, C., Hermann, A., Nitric oxide augments voltage-activated calcium currents of crustacea (*Idotea baltica*) skeletal muscle, 133

Faussone-Pellegrini, M.-S., see Vannucchi, M.-G., 120
Fiano, V., see Schiffer, D., 37
Finklestein, S.P., see Sugimori, H., 13
Foti, F., see Drago, F., 176
Fountoulakisc, M., see Kim, S.H., 41
Frisina, M., see Drago, F., 176
Fu, W.-M., Liou, H.-H., Wang, C.-L., Collaboration of fibronectin matrix and neurotrophin in regulating spontaneous transmitter release at developing neuromuscular synapses in *Xenopus* cell cultures, 115
Fukada, Y., see Okano, T., 111

Giovannini, M.-G., see Vannucchi, M.-G., 120
Gladwell, S.J., Jefferys, J.G.R., Second messenger modulation of electrotonic coupling between region CA3 pyramidal cell axons in the rat hippocampus, 1
Granata, A.R., Effects of γ-aminobutyric acid on putative sympatho-excitatory neurons in the rat rostral ventrolateral medulla in vitro. Intracellular study, 49
Grech, M., see Drago, F., 176
Grover, A.K., see Sylvester, J.B., 83

Haas, H.L., see Sergeeva, O.A., 5
Hara, A., see Niwa, M., 103
Hasegawa, J., see Kotani, S., 87
Haussermann, P., Kuhn, W., Przuntek, H., Muller, T., Integrity of the blood–cerebrospinal fluid barrier in early Parkinson's disease, 182
Hayashi, T., see Warita, H., 75
Hermann, A., see Erxleben, C., 133
Hesse, C., see Davidsson, P., 157
Hotta, K., see Niwa, M., 103
Huang, L.W., see Lo, S.-H., 185

Ichikawa, A., see Ikeda, E., 33
Ichinose, H., see Mogi, M., 179
Ikeda, E., Ichikawa, A., Mori, H., Shiba, K., Kuji, I., Sumiya, H., Tonami, N., Ikeda, K., Effect of vagal autotransplantation on quantitative [^{3}H]-vesamicol binding image in rats with unilateral lesions of nucleus basalis magnocellularis, 33
Ikeda, K., see Ikeda, E., 33
Imamura, T., see Suzuki, S., 29
Inoue, M., see Yasuno, F., 59
Iwai, T., see Niwa, M., 103

PII: S0304-3940(01)01612-3

Izumi, Y., Morino, H., Oda, M., Maruyama, H., Udaka, F., Kameyama, M., Nakamura, S., Kawakami, H., Genetic studies in Parkinson's disease with an α-synuclein/NACP gene polymorphism in Japan, 125

Jacobson, E., see Tal, D., 21
Jefferys, J.G.R., see Gladwell, S.J., 1
Joe, E.-H., see Chung, S., 67
John, H.A., see Laffling, A.J., 99

Kakeyama, M., see Kanamaru, H., 9
Kameyama, M., see Izumi, Y., 125
Kanamaru, H., Kakeyama, M., Seki, T., Arai, Y., Estrogen potentiates *N*-methyl-D-aspartate receptor subunit R2B mRNA expression during the late prepubertal period in female rats, 9
Kaneko, S., see Katsuki, H., 166
Katsuki, H., Takenaka, C., Kume, T., Kaneko, S., Akaike, A., Requirement of neural activity for the maintenance of dopaminergic neurons in rat midbrain slice cultures, 166
Kawakami, H., see Izumi, Y., 125
Kim, S.H., Cairns, N., Fountoulakisc, M., Lubec, G., Decreased brain histamine-releasing factor protein in patients with Down syndrome and Alzheimer's disease, 41
Kogure, O., see Mogi, M., 179
Kondo, T., see Mogi, M., 179
Kotani, S., Hasegawa, J., Meng, H., Suzuki, T., Sato, K., Sakakibara, M., Takiguchi, M., Tokimasa, T., Hyperpolarizing shift by quinine in the steady-state inactivation curve of delayed rectifier-type potassium current in bullfrog sympathetic neurons, 87
Kuhn, W., see Haussermann, P., 182
Kuji, I., see Ikeda, E., 33
Kume, T., see Katsuki, H., 166
Kuno, S., see Mogi, M., 179

Laffling, A.J., Baird, A., Birkett, C.R., John, H.A., A monoclonal antibody that enables specific immunohistological detection of prion protein in bovine spongiform encephalopathy cases, 99
Lee, J., see Chung, S., 67
Lee, W.L., see Tang, F.R., 137
Li, A.-J., see Suzuki, S., 29
Li, J.-h., You, Z.-d., Chen, Z.-y., Song, C.-y., Lu, C.-l., Chronic morphine treatment inhibits oxytocin release from the supraoptic nucleus slices of rats, 54
Liepert, J., Schardt, S., Weiller, C., Orally administered atropine enhances motor cortex excitability: a transcranial magnetic stimulation study in human subjects, 149
Ling, E.A., see Tang, F.R., 137
Liou, H.-H., see Fu, W.-M., 115
Liu, I.-M., see Lo, S.-H., 185
Lo, S.-H., Liu, I.-M., Huang, L.W., Cheng, J.-T., Decrease of muscarinic M2 cholinoceptor gene expression in the heart of aged rat, 185
Loescher, A.R., Boissonade, F.M., Robinson, P.P., Calcitonin gene-related peptide modifies the ectopic discharge from damaged nerve fibres in the ferret, 71
López, M., Seoane, L., Señarís, R.M., Diéguez, C., Prepro-orexin mRNA levels in the rat hypothalamus, and orexin receptors mRNA levels in the rat hypothalamus and adrenal gland are not influenced by the thyroid status, 171
Lu, C.-l., see Li, J.-h., 54
Lubec, G., see Kim, S.H., 41

Lyakhov, V., see Tal, D., 21

Manabe, Y., see Warita, H., 75
Marom, S., see Tal, D., 21
Maruyama, H., see Izumi, Y., 125
Medico, M., see Drago, F., 176
Meng, H., see Kotani, S., 87
Micale, V., see Drago, F., 176
Minthon, L., see Davidsson, P., 157
Mizuno, Y., see Mogi, M., 179
Mogi, M., Togari, A., Kondo, T., Mizuno, Y., Kogure, O., Kuno, S., Ichinose, H., Nagatsu, T., Glial cell line-derived neurotrophic factor in the substantia nigra from control and parkinsonian brains, 179
Moraes, C.T., see Xu, G.-P., 141
Mori, H., see Ikeda, E., 33
Mori, H., see Niwa, M., 103
Morimoto-Ishizuka, T., Yamamoto, Y., Yamatodani, A., The role of the chorda tympani nerve in the activation of the rat hypothalamic histaminergic system by leptin, 107
Morino, H., see Izumi, Y., 125
Mortara, P., see Schiffer, D., 37
Muller, T., see Haussermann, P., 182
Murakami, T., see Warita, H., 75
Mwanjewe, J., see Sylvester, J.B., 83

Nagatsu, T., see Mogi, M., 179
Nagesh Babu, G., Sailor, K.A., Sun, D., Dempsey, R.J., Spermidine/spermine N^1-acetyl transferase activity in rat brain following transient focal cerebral ischemia and reperfusion, 17
Nakamura, S., see Izumi, Y., 125
Nicolosi, A., see Drago, F., 176
Nicosia, A., see Drago, F., 176
Niwa, M., Hara, A., Iwai, T., Wang, S., Hotta, K., Mori, H., Uematsu, T., Caspase activation as an apoptotic evidence in the gerbil hippocampal CA1 pyramidal cells following transient forebrain ischemia, 103

Oda, M., see Izumi, Y., 125
Okano, T., Sasaki, M., Fukada, Y., Cloning of mouse BMAL2 and its daily expression profile in the suprachiasmatic nucleus: a remarkable acceleration of *Bmal2* sequence divergence after *Bmal* gene duplication, 111
Okubo, Y., see Yasuno, F., 59

Pérez-Pinzón, M.A., see Xu, G.-P., 141
Price, G.W., see Roberts, C., 45
Przuntek, H., see Haussermann, P., 182

Qi, J.-S., see Ye, L., 145
Qiao, J.-T., see Ye, L., 145
Querejeta, E., Delgado, A., Valdiosera, R., Erlij, D., Aceves, J., Intrapallidal D_2 dopamine receptors control globus pallidus neuron activity in the rat, 79

Reiber, H., see Süssmuth, S.D., 95
Richiardi, P., see Schiffer, D., 37
Roberts, C., Price, G.W., Interaction of serotonin autoreceptor antagonists in the rat dorsal raphe nucleus: an in vitro fast cyclic voltammetry study, 45
Robinson, P.P., see Loescher, A.R., 71
Rothblat, D.S., Rubin, E., Schneider, J.S., Effects of chronic alcohol ingestion on the mesostriatal dopamine system in the rat, 63

Rubin, E., see Rothblat, D.S., 63

Sailor, K.A., see Nagesh Babu, G., 17
Sakakibara, M., see Kotani, S., 87
Sasaki, M., see Okano, T., 111
Sato, K., see Kotani, S., 87
Sato, K., see Warita, H., 75
Schardt, S., see Liepert, J., 149
Schiffer, D., Fiano, V., Chiadò-Piat, L., Mortara, P., Richiardi, P., Cavalla, P., Distribution of activated caspase-3 in relation with apoptosis in human malignant gliomas, 37
Schneider, J.S., see Rothblat, D.S., 63
Seki, T., see Kanamaru, H., 9
Seki, T., see Warita, H., 75
Señarís, R.M., see López, M., 171
Seoane, L., see López, M., 171
Sergeeva, O.A., Eriksson, K.S., Haas, H.L., Glycine receptor mediated responses in rat histaminergic neurons, 5
Seth, P.K., see Aziz, M.H., 161
Shiba, K., see Ikeda, E., 33
Shukla, Y., see Aziz, M.H., 161
Sick, T.J., see Xu, G.-P., 141
Sim, M.K., see Tang, F.R., 137
Song, C.-y., see Li, J.-h., 54
Sorimachi, M., Yamagami, K., Uramura, K., Functional expression of cholecystokinin-A receptor on ventromedial hypothalamic neurons in the immature rat brain, 91
Speller, H., see Sugimori, H., 13
Sudo, Y., see Yasuno, F., 59
Sugimori, H., Speller, H., Finklestein, S.P., Intravenous basic fibroblast growth factor produces a persistent reduction in infarct volume following permanent focal ischemia in rats, 13
Suhara, T., see Yasuno, F., 59
Sumiya, H., see Ikeda, E., 33
Sun, D., see Nagesh Babu, G., 17
Surchev, L., Synaptic membrane morphology in the rat cerebral cortex during development: image analysis of freeze-etching replicas of isolated synapses and synapses in situ, 25
Süssmuth, S.D., Reiber, H., Tumani, H., Tau protein in cerebrospinal fluid (CSF): a blood–CSF barrier related evaluation in patients with various neurological diseases, 95
Suzuki, K., see Yasuno, F., 59
Suzuki, S., Li, A.-J., Akaike, T., Imamura, T., Intracerebroventricular infusion of fibroblast growth factor-1 increases Fos immunoreactivity in periventricular astrocytes in rat hypothalamus, 29
Suzuki, T., see Kotani, S., 87
Sylvester, J.B., Mwanjewe, J., Grover, A.K., Transient receptor potential protein mRNA expression in rat substantia nigra, 83

Takenaka, C., see Katsuki, H., 166
Takiguchi, M., see Kotani, S., 87
Tal, D., Jacobson, E., Lyakhov, V., Marom, S., Frequency tuning of input-output relation in a rat cortical neuron in-vitro, 21
Tang, F.R., Lee, W.L., Yang, J., Sim, M.K., Ling, E.A., Metabotropic glutamate receptor 8 in the rat hippocampus after pilocarpine induced status epilepticus, 137
Togari, A., see Mogi, M., 179
Tokimasa, T., see Kotani, S., 87
Tonami, N., see Ikeda, E., 33
Tsutsui, K., see Ukena, K., 153
Tumani, H., see Süssmuth, S.D., 95

Udaka, F., see Izumi, Y., 125
Uematsu, T., see Niwa, M., 103
Uhm, D.-Y., see Chung, S., 67
Ukena, K., Tsutsui, K., Distribution of novel RFamide-related peptide-like immunoreactivity in the mouse central nervous system, 153
Uramura, K., see Sorimachi, M., 91

Valdiosera, R., see Querejeta, E., 79
Vannucchi, M.-G., Corsani, L., Giovannini, M.-G., Faussone-Pellegrini, M.-S., Expression of dystrophin in the mouse myenteric neurones, 120

Wang, C.-L., see Fu, W.-M., 115
Wang, S., see Niwa, M., 103
Warita, H., Murakami, T., Manabe, Y., Sato, K., Hayashi, T., Seki, T., Abe, K., Induction of polysialic acid-neural cell adhesion molecule in surviving motoneurons of transgenic amyotrophic lateral sclerosis mice, 75
Weiller, C., see Liepert, J., 149

Xu, G.-P., Dave, K.R., Moraes, C.T., Busto, R., Sick, T.J., Bradley, W.G., Pérez-Pinzón, M.A., Dysfunctional mitochondrial respiration in the wobbler mouse brain, 141

Yamagami, K., see Sorimachi, M., 91
Yamamoto, M., see Yasuno, F., 59
Yamamoto, Y., see Morimoto-Ishizuka, T., 107
Yamatodani, A., see Morimoto-Ishizuka, T., 107
Yang, J., see Tang, F.R., 137
Yasuno, F., Suhara, T., Sudo, Y., Yamamoto, M., Inoue, M., Okubo, Y., Suzuki, K., Relation among dopamine D_2 receptor binding, obesity and personality in normal human subjects, 59
Ye, L., Qi, J.-S., Qiao, J.-T., Long-term potentiation in hippocampus of rats is enhanced by endogenous acetylcholine in a way that is independent of *N*-methyl-D-aspartate receptors, 145
You, Z.-d., see Li, J.-h., 54